



Likao Bearing Co., Ltd.



40,000 mm x 63,600 mm x 16,000 mm ntn
sf0815 bearing

Bearing No. sf0815

sf0815 Bearing 2D drawings and 3D CAD models

Size	40x63.600x16 mm
Bore Diameter	40,000 mm
Outer Diameter	63,600 mm
Width	16,000 mm
d	40,000 mm
D	63,600 mm
B	16,000 mm
C	16,000 mm
Category	Angular Contact Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.148
EAN	4547359498141
Product Group	B00234
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	30 Degree



Likao Bearing Co., Ltd.

Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch - Metric	Metric
Long Description	40MM Bore; 63.6MM Outside Diameter; 16MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 30 Degree; 1 (Single)
Category	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ntnamerica.com
Bore	1.575 Inch 40 Millimeter
Width	0.63 Inch 16 Millimeter
Outside Diameter	2.504 Inch 63.6 Millimeter
bore diameter:	40 mm
radial dynamic load capacity:	8000 N
outside diameter:	63.6 mm
radial static load capacity:	8000 N
overall width:	16 mm
operating temperature range:	-40 to 120 ° C
row type & fill slot:	Single-Row Non-Fill Slot
cage material:	Steel
internal clearance:	C0
finish/coating:	Uncoated
bore type:	Round
precision rating:	Standard



Likao Bearing Co., Ltd.

closure type:	Open
series:	SF0
snap ring included:	Without Snap Ring
manufacturer product page:	Click here
bearing material:	High Carbon Chrome Steel