



Likao Bearing Co., Ltd.



15 mm x 35 mm x 11 mm koyo 6202 bearing

Bearing No. 6202

6202 Bearing 2D drawings and 3D CAD models

| | |
|-------------------------------|--------------------------|
| Size | 15x35x11 mm |
| Bore Diameter | 15 mm |
| Outer Diameter | 35 mm |
| Width | 11 mm |
| d | 15 mm |
| D | 35 mm |
| B | 11 mm |
| C | 11 mm |
| r min. | 0,6 mm |
| da min. | 19 mm |
| Da max. | 31 mm |
| ra max. | 0,6 mm |
| Weight | 0,045 Kg |
| Basic dynamic load rating (C) | 7,65 kN |
| Basic static load rating (C0) | 3,75 kN |
| (Grease) Lubrication Speed | 20000 r/min |
| (Oil) Lubrication Speed | 24000 r/min |
| Category | Single Row Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.049 |
| Product Group | B00308 |
| Enclosure | Open |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling | No |



Likao Bearing Co., Ltd.

| | |
|---------------------------|--|
| Slot | |
| Rolling Element | Ball Bearing |
| Snap Ring | No |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch - Metric | Metric |
| Long Description | 15MM Bore; 35MM Outside Diameter; 11MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features |
| Category | Single Row Ball Bearing |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |
| Keyword String | Ball |
| Manufacturer URL | http://www.koyousa.com |
| Manufacturer Item Number | 6202 |
| Weight / LBS | 0.107 |
| Bore | 0.591 Inch 15 Millimeter |
| Outer Race Width | 0.433 Inch 11 Millimeter |
| Outside Diameter | 1.378 Inch 35 Millimeter |
| Bearing No. | 6202 |
| r(min) | 0.6 |
| Cr | 9.55 |
| C0r | 3.75 |
| Cu | 0.290 |
| f0 | 13.2 |
| Grease lub. | 20000 |
| Oil lub. | 24000 |
| da(min) | 19 |
| | |



Likao Bearing Co., Ltd.

| | |
|------------------|-------|
| Da(max) | 31 |
| ra(max) | 0.6 |
| (Refer.)Mass(kg) | 0.045 |